Author index

Adriaensen, K. *see* Colpaert, J.V.

Ahn, S.J., Rengel, Z. & Matsumoto, H. Aluminum-induced plasma membrane surface potential and H^+-ATPase activity in near-isogenic wheat lines differing in tolerance to aluminum, 71

Alston, V. *see* Tricker, P.J.

Amrani, A.E. *see* Hummel, I.

Aono, T., Maldonado-Mendoza, I.E., Dewbre, G.R., Harrison, M.J. & Saito, M. Expression of alkaline phosphatase genes in arbuscular mycorrhizas, 525

Badeck, F.-W., Bondeau, A., Böttcher, K., Doktor, D., Lucht, W., Schaber, J. & Sitch, S. Responses of spring phenology to climate change, 295

Barnard, R., Barthes, L., Roux, X.L. & Leadley, P.W. Dynamics of nitrifying activities, denitrifying activities and nitrogen in grassland mesocosms as altered by elevated CO_2, 365

Barthes, L. *see* Barnard, R.

Bateman, R.M. *see* Rudall, P.J.

Bazzaz, F.A. *see* Griffen, L.R.

Bennett, M.J. *see* Payne, K.A.

Bever, J.D. *see* Price, J.S.

Binder, C. *see* Koch, A.M.

Black, K. & Osborne, B. An assessment of photosynthetic downregulation in cyanobacteria from the *Gunnera–Nostoc* symbiosis, 125

Bondeau, A. *see* Badeck, F.-W.

Bonkowski, M. Protozoa and plant growth: the microbial loop in soil revisited, 617

Booker, F.L., Burkey, K.O., Overmyer, K. & Jones, A.M. Differential responses of G-protein *Arabidopsis thaliana* mutants to ozone, 633

Bota, J., Medrano, H. & Flexas, J. Is photosynthesis limited by decreased Rubisco activity and RuBP content under progressive water stress?, 671

Böttcher, K. *see* Badeck, F.-W.

Bottin, A. *see* Khatib, M.

Bowen, H.C. *see* Payne, K.A.

Bridgham, S. *see* Pendall, E.

Broadley, M.R. *see* Payne, K.A.

Brodribb, T.J. & Holbrook, N.M. Stomatal protection against hydraulic failure: a comparison of coexisting ferns and angiosperms, 663

Burkey, K.O. *see* Booker, F.L.

Calfapietra, C. *see* Tricker, P.J.

Castells, E., Peñuelas, J. & Valentine, D.W. Are phenolic compounds released from the Mediterranean shrub *Cistus albidus* responsible for changes in N cycling in siliceous and calcareous soils?, 187

Cawthray, G.R. *see* Wouterlood, M.

Chandrasekharan, M.B. *see* Zhou, X.

Chapela, I.H. *see* Henn, M.R.

Chmielarz, P. *see* Daws, M.I.

Christensen, T.R. *see* Olsrud, M.

Clay, K. *see* Price, J.S.

Cojocariu, C., Kreuzwieser, J. & Rennenberg, H. Correlation of short-chained carbonyls emitted from *Picea abies* with physiological and environmental parameters, 717

Colpaert, J.V., Muller, L.A.H., Lambaerts, M., Adriaensen, K. & Vangronsveld, J. Evolutionary adaptation to Zn toxicity in populations of Suilloid fungi, 549

Couée, I. *see* Hummel, I.

Cripliver, J.L. *see* Edwards, I.P.

Davis, P.A. *see* Walsby, A.E.

Daws, M.I., Lydall, E., Chmielarz, P., Leprince, O., Matthews, S., Thanos, C.A. & Pritchard, H.W. Developmental heat sum influences recalcitrant seed traits in *Aesculus hippocastanum* across Europe, 157

de Angelis, P. *see* Tricker, P.J.

Dewbre, G.R. *see* Aono, T.

Dodd, A.N., Parkinson, K. & Webb, A.A.R. Independent circadian regulation of assimilation and stomatal conductance in the *ztl-1* mutant of *Arabidopsis*, 63

Doktor, D. *see* Badeck, F.-W.

Dong, M. *see* Yu, F.

Dunn, C. *see* Walsby, A.E.

Edwards, E.J. *see* Volder, A.

Edwards, I.P., Cripliver, J.L., Gillespie, A.R., Johnsen, K.H., Scholler, M. & Turco, R.F. Nitrogen availability alters macrofungal basidiomycete community structure in optimally fertilized loblolly pine forests, 755

Ellsworth, D.S. *see* Nowak, R.S.

Esquerré-Tugayé, M.-T. *see* Khatib, M.

Evans, J.R. *see* Volder, A.

Ferris, R. *see* Tricker, P.J.

Filella, I. *see* Peñuelas, J.

Filipe, J.A.N. *see* Otten, W.

Finlay, R.D. *see* Rosling, A.

Flexas, J. *see* Bota, J.

Frenot, Y. *see* Hummel, I.

Gasior, D. *see* Rapacz, M.

Gay, A.P. *see* Rapacz, M.

Gifford, R.M. *see* Volder, A.

Gillespie, A.R. *see* Edwards, I.P.

Gilligan, C.A. *see* Otten, W.
Gilmour, D.J. *see* Hunt, L.
Gouesbet, G. *see* Hummel, I.
Gray, J.E. *see* Hunt, L.
Griffen, L.R., Wilczek, A.M. & Bazzaz, F.A. UV-B affects within-seed biomass allocation and chemical provisioning, 167
Griffin, K.L. *see* Shapiro, J.B.
Gunderson, C.A. *see* Sholtis, J.D.

Haase, A. *see* Zimmermann, U.
Hall, M.A. *see* Stoynova-Bakalova, E.
Hall, T.C. *see* Zhou, X.
Hammond, J.P. *see* Payne, K.A.
Hampton, C.R. *see* Payne, K.A.
Han, F.X., Sridhar, B.B.M., Monts, D.L. & Su, Y. Phytoavailability and toxicity of trivalent and hexavalent chromium to *Brassica juncea*, 489
Hansen, P.E. *see* Viereck, N.
Hanson, B., Lindblom, S.D., Loeffler, M.L. & Pilon-Smits, E.A.H. Selenium protects plants from phloem-feeding aphids due to both deterrence and toxicity, 655
Hanson, P.J. *see* Pendall, E.
Harrison, M.J. *see* Aono, T.
Harte, J. *see* Loik, M.E.
Henn, M.R. & Chapela, I.H. Isotopic fractionation during ammonium assimilation by basidiomycete fungi and its implications for natural nitrogen isotope patterns, 771
Hennion, F. *see* Hummel, I.
Herrick, J.D., Maherali, H. & Thomas, R.B. Reduced stomatal conductance in sweetgum (*Liquidambar styraciflua*) sustained over long-term CO_2 enrichment, 387
Hodge, A. The plastic plant: root responses to heterogeneous supplies of nutrients, 9
Hogetsu, T. *see* Nemoto, K.
Holbrook, N.M. *see* Brodribb, T.J.
Hummel, I., Quemmerais, F., Gouesbet, G., Amrani, A.E., Frenot, Y., Hennion, F. & Couée, I. Characterization of environmental stress responses during early development of *Pringlea antiscorbutica* in the field at Kerguelen, 705
Humphreys, M.W. *see* Rapacz, M.
Hungate, B. *see* Pendall, E.
Hunt, J. *see* Hunt, L.
Hunt, L., Otterhag, L., Lee, J.C., Lasheen, T., Hunt, J., Seki, M., Shinozaki, K., Sommarin, M., Gilmour, D.J., Pical, C. & Gray, J.E. Gene-specific expression and calcium activation of *Arabidopsis thaliana* phospholipase C isoforms, 643
Huxman, T.E. *see* Loik, M.E.

Igeland, B. *see* Taulavuori, K.M.J.

Jakobsen, I. *see* Smith, S.E.
Jakobsen, I. *see* Viereck, N.
Johnsen, K.H. *see* Edwards, I.P.
Johnson, D.W. *see* Pendall, E.
Jones, A.M. *see* Booker, F.L.
Jönsson, U. *Phytophthora* species and oak decline – can a weak competitor cause significant root damage in a nonsterilized acidic forest soil?, 211

Karanov, E. *see* Stoynova-Bakalova, E.
Khatib, M., Lafitte, C., Esquerré-Tugayé, M.-T., Bottin, A. & Rickauer, M. The CBEL elicitor of *Phytophthora parasitica* var. *nicotianae* activates defence in *Arabidopsis thaliana* via three different signalling pathways, 501
Kicklighter, D.W. *see* Pendall, E.
King, P.S. *see* Topa, M.A.
Koch, A.M., Binder, C. & Sanders, I.R. Does the generalist parasitic plant *Cuscuta campestris* selectively forage in heterogeneous plant communities?, 147
Krüsi, B. *see* Yu, F.
Kreuzwieser, J. *see* Cojocariu, C.
Kuzminsky, E. *see* Tricker, P.J.

Lafitte, C. *see* Khatib, M.
Laine, K.M. *see* Taulavuori, K.M.J.
Lambaerts, M. *see* Colpaert, J.V.
Lambers, H. *see* Wouterlood, M.
Lasheen, T. *see* Hunt, L.
Lavigne, M.B., Little, C.H.A. & Riding, R.T. Changes in stem respiration rate during cambial reactivation can be used to refine estimates of growth and maintenance respiration, 81
Law, B.E. *see* Pendall, E.
Leadley, P.W. *see* Barnard, R.
Ledford, J. *see* Wan, S.
Lee, J.C. *see* Hunt, L.
Leprince, O. *see* Daws, M.I.
Lesniewska-Bocianowska, A. *see* Rapacz, M.
Lewis, J.D. *see* Shapiro, J.B.
Lewis, J.D., Lucash, M., Olszyk, D.M. & Tingey, D.T. Relationships between needle nitrogen concentration and photosynthetic responses of Douglas-fir seedlings to elevated CO_2 and temperature, 355
Lindahl, B.D. *see* Rosling, A.
Lindblom, S.D. *see* Hanson, B.
Little, C.H.A. *see* Lavigne, M.B.
Liu, W.-J., Zhu, Y.-G., Smith, F.A. & Smith, S.E. Do phosphorus nutrition and iron plaque alter arsenate (As) uptake by rice seedlings in hydroponic culture?, 481
Llusià, J. *see* Peñuelas, J.
Loeffler, M.L. *see* Hanson, B.
Loik, M.E. *see* Naumburg, E.
Loik, M.E., Still, C.J., Huxman, T.E. & Harte, J. *In situ* photosynthetic freezing tolerance for plants exposed to a global warming manipulation in the Rocky Mountains, Colorado, USA, 331
Lucash, M. *see* Lewis, J.D.
Lucht, W. *see* Badeck, F.-W.
Luo, Y. *see* Norby, R.J.

Luo, Y. *see* Pendall, E.
Lydall, E. *see* Daws, M.I.
Lynn, J.R. *see* Payne, K.A.

Mable, B.K. Polyploidy and self-compatibility: is there an association?, 803
Maherali, H. *see* Herrick, J.D.
Maldonado-Mendoza, I.E. *see* Aono, T.
Matsumoto, H. *see* Ahn, S.J.
Matthews, S. *see* Daws, M.I.
McDermitt, D.J. *see* Topa, M.A.
Mead, A. *see* Payne, K.A.
Medrano, H. *see* Bota, J.
Megonigal, J.P. *see* Pendall, E.
Melillo, J.M. *see* Olsrud, M.
Michelsen, A. *see* Olsrud, M.
Miyamoto, N. *see* Nemoto, K.
Monts, D.L. *see* Han, F.X.
Morgan, J.A. *see* Pendall, E.
Mosier, A.R. *see* Pendall, E.
Muller, L.A.H. *see* Colpaert, J.V.
Munné-Bosch, S. *see* Peñuelas, J.

Nagano, I. *see* Nemoto, K.
Nathoo, M. *see* Tricker, P.J.
Naumburg, E., Loik, M.E. & Smith, S.D. Photosynthetic responses of *Larrea tridentata* to seasonal temperature extremes under elevated CO_2, 323
Nemoto, K., Nagano, I., Hogetsu, T. & Miyamoto, N. Dynamics of cortical microtubules in developing maize internodes, 95
Ng, G. *see* Walsby, A.E.
Niinemets, Ü. Adaptive adjustments to light in foliage and whole-plant characteristics depend on relative age in the perennial herb *Leontodon hispidus*, 683
Nilsen, J. *see* Taulavuori, K.M.J.
Norby, R.J. & Luo, Y. Evaluating ecosystem responses to rising atmospheric CO_2 and global warming in a multi-factor world, 281
Norby, R.J. *see* Sholtis, J.D.
Norby, R.J. *see* Wan, S.
Nowak, R.S., Ellsworth, D.S. & Smith, S.D. Functional responses of plants to elevated atmospheric CO_2 – do photosynthetic and productivity data from FACE experiments support early predictions?, 253

O'Neill, E.G. *see* Wan, S.
Olsrud, M. *see* Pendall, E.
Olsrud, M., Melillo, J.M., Christensen, T.R., Michelsen, A., Wallander, H. & Olsson, P.A. Response of ericoid mycorrhizal colonization and functioning to global change factors, 459
Olsson, P.A. *see* Olsrud, M.
Olszyk, D.M. *see* Lewis, J.D.
Osborne, B. *see* Black, K.
Otten, W., Filipe, J.A.N. & Gilligan, C.A. An empirical method to estimate the effect of soil on the rate for transmission of damping-off disease, 231
Otterhag, L. *see* Hunt, L.
Overmyer, K. *see* Booker, F.L.

Périlleux, C. *see* Tocquin, P.
Parkinson, K. *see* Dodd, A.N.
Payne, K.A., Bowen, H.C., Hammond, J.P., Hampton, C.R., Lynn, J.R., Mead, A., Swarup, K., Bennett, M.J., White, P.J. & Broadley, M.R. Natural genetic variation in caesium (Cs) accumulation by *Arabidopsis thaliana*, 535
Peñuelas, J. *see* Castells, E.
Peñuelas, J., Munné-Bosch, S., Llusià, J. & Filella, I. Leaf reflectance and photo- and antioxidant protection in field-grown summer-stressed *Phillyrea angustifolia*. Optical signals of oxidative stress?, 115
Pendall, E., Bridgham, S., Hanson, P.J., Hungate, B., Kicklighter, D.W., Johnson, D.W., Law, B.E., Luo, Y., Megonigal, J.P., Olsrud, M., Ryan, M.G. & Wan, S. Below-ground process responses to elevated CO_2 and temperature: a discussion of observations, measurement methods, and models, 311
Pendall, E., Mosier, A.R. & Morgan, J.A. Rhizodeposition stimulated by elevated CO_2 in a semiarid grassland, 447
Petrov, P. *see* Stoynova-Bakalova, E.
Pical, C. *see* Hunt, L.
Pilon-Smits, E.A.H. *see* Hanson, B.
Pleasants, L.J. *see* Tricker, P.J.
Pregitzer, K.S. *see* Wan, S.
Price, A.H. *see* Talukder, Z.I.
Price, J.S., Bever, J.D. & Clay, K. Genotype, environment, and genotype by environment interactions determine quantitative resistance to leaf rust (*Coleosporium asterum*) in *Euthamia graminifolia* (Asteraceae), 729
Pritchard, H.W. *see* Daws, M.I.
Puleggi, R. *see* Tricker, P.J.

Quemmerais, F. *see* Hummel, I.

Rapacz, M., Gasior, D., Zwierzykowski, Z., Lesniewska-Bocianowska, A., Humphreys, M.W. & Gay, A.P. Changes in cold tolerance and the mechanisms of acclimation of photosystem II to cold hardening generated by anther culture of *Festuca pratensis* × *Lolium multiflorum* cultivars, 105
Raven, J.A. & Waite, A.M. The evolution of silicification in diatoms: inescapable sinking and sinking as escape?, 45
Rengel, Z. *see* Ahn, S.J.
Rennenberg, H. *see* Cojocariu, C.
Rickauer, M. *see* Khatib, M.
Riding, R.T. *see* Lavigne, M.B.
Robertson, B.C. *see* Volder, A.
Rosling, A., Lindahl, B.D. & Finlay, R.D. Carbon allocation to ectomycorrhizal roots and mycelium colonising different mineral substrates, 795
Roux, X.L. *see* Barnard, R.

Rudall, P.J. & Bateman, R.M. Evolution of zygomorphy in monocot flowers: iterative patterns and developmental constraints, 25
Ryan, M.G. *see* Pendall, E.

Saito, M. *see* Aono, T.
Sanders, I.R. *see* Koch, A.M.
Scanlon, T.T. *see* Wouterlood, M.
Schaber, J. *see* Badeck, F.-W.
Schneider, H. *see* Zimmermann, U.
Scholler, M. *see* Edwards, I.P.
Schortemeyer, M. *see* Volder, A.
Seki, M. *see* Hunt, L.
Shapiro, J.B., Griffin, K.L., Lewis, J.D. & Tissue, D.T. Response of *Xanthium strumarium* leaf respiration in the light to elevated CO_2 concentration, nitrogen availability and temperature, 377
Shinozaki, K. *see* Hunt, L.
Sholtis, J.D., Gunderson, C.A., Norby, R.J. & Tissue, D.T. Persistent stimulation of photosynthesis by elevated CO_2 in a sweetgum (*Liquidambar styraciflua*) forest stand, 343
Sitch, S. *see* Badeck, F.-W.
Skre, O. *see* Taulavuori, K.M.J.
Smith, F.A. *see* Liu, W.-J.
Smith, F.A. *see* Smith, S.E.
Smith, S.D. *see* Naumburg, E.
Smith, S.D. *see* Nowak, R.S.
Smith, S.E. *see* Liu, W.-J.
Smith, S.E., Smith, F.A. & Jakobsen, I. Functional diversity in arbuscular mycorrhizal (AM) symbioses: the contribution of the mycorrhizal P uptake pathway is not correlated with mycorrhizal responses in growth or total P uptake, 511
Sommarin, M. *see* Hunt, L.
Sridhar, B.B.M. *see* Han, F.X.
Still, C.J. *see* Loik, M.E.
Stoynova-Bakalova, E., Karanov, E., Petrov, P. & Hall, M.A. Cell division and cell expansion in cotyledons of *Arabidopsis* seedlings, 471
Su, Y. *see* Han, F.X.
Swarup, K. *see* Payne, K.A.

Talukder, Z.I., Tharreau, D. & Price, A.H. Quantitative trait loci analysis suggests that partial resistance to rice blast is mostly determined by race–specific interactions, 197
Taulavuori, E.B. *see* Taulavuori, K.M.J.
Taulavuori, K.M.J., Taulavuori, E.B., Skre, O., Nilsen, J., Igeland, B. & Laine, K.M. Dehardening of mountain birch (*Betula pubescens* ssp. *czerepanovii*) ecotypes at elevated winter temperatures, 427
Taylor, G. *see* Tricker, P.J.
Thanos, C.A. *see* Daws, M.I.
Tharreau, D. *see* Talukder, Z.I.
Thomas, R.B. *see* Herrick, J.D.
Tingey, D.T. *see* Lewis, J.D.
Tissue, D.T. *see* Shapiro, J.B.
Tissue, D.T. *see* Sholtis, J.D.
Tocquin, P. & Périlleux, C. Design of a versatile device for measuring whole plant gas exchanges in *Arabidopsis thaliana*, 223
Topa, M.A., McDermitt, D.J., Yun, S.-C. & King, P.S. Do elevated ozone and variable light alter carbon transport to roots in sugar maple?, 173
Tricker, P.J., Calfapietra, C., Kuzminsky, E., Puleggi, R., Ferris, R., Nathoo, M., Pleasants, L.J., Alston, V., de Angelis, P. & Taylor, G. Long-term acclimation of leaf production, development, longevity and quality following 3 yr exposure to free-air CO_2 enrichment during canopy closure in *Populus*, 413
Turco, R.F. *see* Edwards, I.P.

Valentine, D.W. *see* Castells, E.
Vangronsveld, J. *see* Colpaert, J.V.
Veneklaas, E.J. *see* Wouterlood, M.
Viereck, N., Hansen, P.E. & Jakobsen, I. Phosphate pool dynamics in the arbuscular mycorrhizal fungus *Glomus intraradices* studied by *in vivo* ^{31}P NMR spectroscopy, 783
Volder, A., Edwards, E.J., Evans, J.R., Robertson, B.C., Schortemeyer, M. & Gifford, R.M. Does greater night-time, rather than constant, warming alter growth of managed pasture under ambient and elevated atmospheric CO_2?, 397

Waite, A.M. *see* Raven, J.A.
Wallander, H. *see* Olsrud, M.
Walsby, A.E., Ng, G., Dunn, C. & Davis, P.A. Comparison of the depth where *Planktothrix rubescens* stratifies and the depth where the daily insolation supports its neutral buoyancy, 133
Wan, S. *see* Pendall, E.
Wan, S., Norby, R.J., Pregitzer, K.S., Ledford, J. & O'Neill, E.G. CO_2 enrichment and warming of the atmosphere enhance both productivity and mortality of maple tree fine roots, 437
Webb, A.A.R. *see* Dodd, A.N.
Wegner, L.H. *see* Zimmermann, U.
White, P.J. *see* Payne, K.A.
Wilczek, A.M. *see* Griffen, L.R.
Wouterlood, M., Cawthray, G.R., Scanlon, T.T., Lambers, H. & Veneklaas, E.J. Carboxylate concentrations in the rhizosphere of lateral roots of chickpea (*Cicer arietinum*) increase during plant development, but are not correlated with phosphorus status of soil or plants, 745

Yu, F., Dong, M. & Krüsi, B. Clonal integration helps *Psammochloa villosa* survive sand burial in an inland dune, 697
Yun, S.-C. *see* Topa, M.A.

Zhou, X., Chandrasekharan, M.B. & Hall, T.C. High rooting frequency and functional analysis of GUS and GFP expression in transgenic *Medicago truncatula* A17, 813
Zhu, Y.-G. *see* Liu, W.-J.
Zimmermann, U., Schneider, H., Wegner, L.H. & Haase, A. Water ascent in tall trees: does evolution of land plants rely on a highly metastable state?, 575
Zwierzykowski, Z. *see* Rapacz, M.

Keyword Index

$\delta^{15}N$, 771
$^{13}C/^{12}C$, 447
^{15}N isotope dilution, 187
^{15}N natural abundance, 459
35S, 813

A/C_i curve, 223
Abies balsamea (balsam fir), 81
acclimatization, 355
Acer rubrum (red maple), 81
Acer saccharum, 173
acetaldehyde, 717
acid growth theory, 573
acidity, 211
Aesculus hippocastanum, 157
allocation, 167
Al-sensitive genotype, 71
Al-tolerant genotype, 71
aluminum, 71
American Geophysical Union, 6
ammonium, 365
ammonium assimilation, 771
angiosperms, 803
antioxidants, 115
Arabidopsis, 535, 633, 643
Arabidopsis (wild and *amp1*), 471
Arabidopsis thaliana, 3, 223, 501
arbuscular mycorrhizal (AM) fungus, 783
arsenic, 481
Artemisia tridentata (sagebrush), 331
Arthur Tansley, 8
Arum-type AM, 511
association tests, 803
atmospheric change, 323
auxin, 617

Bacillariophyceae, 45
Basidiomycete, 755
bioavailability, 489
biochemical capacity, 343
biogeosciences, 6
biomass partitioning, 683
biomass production, 397
biosphere–atmosphere interactions, 6
birch (*Betula pubescens*), 427
Blelham Tarn, 133
bog, 253
botany teaching, 8
Brassica juncea, 489
Brassica rapa, 167
Brassicajuncea, 655
buoyancy regulation, 133

C : N ratio, 447
caesium (Cs), 535
calcareous soils, 187
calcium, 643
cambial reactivation, 81
Cambridge Botany School, 8
canopy closure, 413
carbon allocation, 459
carbon dioxide, 355
carbon dioxide (CO_2), 377
carbon sequestration, 311
carbon translocation, 617
carbon transport, 173
carbonyl emission, 717
carboxylates, 745
cavitation, 663
CBEL, 501
cell division, 471
cell enlargement, 471
cell wall, 501
chain length, 783
chickpea(*Cicer arietinum*), 745
chlorophyll *a* fluorescence, 331
chlorophyll fluorescence, 671
chromium (Cr), 489
Cistus albidus, 187
citrate, 745
climate change, 245, 281, 323, 355, 377, 397, 459, 705
clonal integration, 697
clonal plant, 729
CO_2 assimilation, 331
CO_2 enrichment, 281
CO_2 fertilization, 311
Coleosporium asterum, 729
cotyledon plate meristems, 471
cotyledons, 167
countermeasures, 535
creosote bush, 323
Cuscuta, 147
cuvette, 223
cyanobacteria, 133

data–model fusion, 281
deciduous trees, 343
dehardening, 427
denitrification enzyme activity, 365
depolarization, 71
desert, 253
desiccation, 157
disease suppressiveness, 231
diversity, 755
dormancy, 81
drought, 705
durable resistance, 197

E horizon mineral soil, 795
earth system science, 6
ecophysiology, 6
ecosystem ecology, 6
Ecosystem manipulation, 245
ecotype, 427
ectomycorrhiza, 795
ectomycorrhizal, 771
ectomycorrhizal fungi, 549
electronic autoradiography, 795
elemental defence, 567
elevated CO_2, 365, 397, 413, 437, 447
elicitor, 501
embryo, 167
enhanced CO_2, 459
environmental stress, 705
environmental variation, 729
epidemic, 231
epistasis, 197
ericoid mycorrhizas, 459
Erythronium grandiflorum, 331
Euthamia graminifolia (= *Solidago graminifolia* (Goldenrod)), 729
evolution, 45
expansin, 573

FACE, 323, 343
ferns, 663
Festuca rubra, 365
fine roots, 437
fire ecology, 251
flammability, 251
flax (*Linum usitatissimum*), 511
floral symmetry, 25
foraging, 147
forest, 253, 343
Fraxinus americana (white ash), 81
Free air CO_2 enrichment (FACE), 387
freezing, 323, 331
frost hardiness, 427
fungal pathogen, 729

gas exchange, 63, 671
gas exchange measurements, 3
gas exchanges, 223
gene expression, 525, 643
genetic adaptation, 549
genotypic basis, 729
Gigaspora margarita, 525
glacier lily, 331
global change biology, 6
global warming, 427
Glomus intraradices, 525, 783
grassland, 253, 397
growth, 535
growth form, 683
guard cell, 63, 643

H⁺-ATPase activity, 71
heat sum, 157
Hebeloma crustuliniforme, 795
herbivore defence, 567
herbivory, 655
heterochrony, 25
heterogeneity, 147
heterotopy, 25
heterotrimeric G-protein, 633
history of science, 8
Holcus lanatus, 365
homeosis, 25
hydraulic architecture, 570
hyperaccumulation, 655

immobilisation, 365
Infra Red Gas Analysis, 3
infrared gas analyser, 63
inland dunes, 697
interaction, 245
interactions, 281
intercalary meristem, 95
internode, 95
invasive plants, 251
in vivo nuclear magnetic resonance (NMR), 783
iron plaque, 481

Kerguelen cabbage (*Pringlea antiscorbutica*), 705
kinematic growth analysis, 573
Kok effect, 377

Lake Zürich, 133
leaf architecture, 683
leaf development, 413
leaf hydraulics, 663
leaf longevity, 413
leaf nitrogen concentration, 413
leaf xylem, 663
legume, 813
Leontodonhispidus, 683
light, 471
light-response curve, 223
lipid peroxidation, 427
Liquidambar styraciflua (sweetgum), 387
Liquidambar styraciflua, 343
loblolly pine (*Pinus taeda*), 755
logistic analysis, 729

Magnaporthe grisea (blast), 197
maize, 95
malate, 745
malonate, 745
Marshall Ward, 8
medic (*Medicago truncatula*), 511
Medicago, 813
mediterranean vegetation, 187
mesic water regime, 211
metal hyperaccumulation, 567
microcosms, 231
microorganisms, 9
microtubules, 95
modelling, 245
multifactor, 245
mycorrhizal responses, 511
mycorrhizas, 311
Myzus persicae, 655

N cycling, 187
N immobilization, 187
near-isogenic wheat (*Triticum aestivum*) lines, 71
net assimilation, 253
net photosynthetic rates, 115
nitrate, 365
nitric oxide, 248
nitric oxide synthase, 248
nitrification enzyme activity, 365
nitrogen recycling, 771
nitrogen, 343, 355, 377, 683, 771
NO·, 248
nonsterilized forest soil, 211
Norway spruce, 717
NOS, 248
Nostoc–Gunnera symbiosis, 125
nutrient cycling, 311
nutrient excahnge, 525
nutrient patches, 9

ontogeny, 683
optimal nutrition, 755
Oryza sativa (rice), 197
ozone, 173, 633

PAMP (Pathogen-associated molecular pattern), 501
parasites, 45
parasitic plant, 147
parasitoids, 45
parental (maternal) effects, 167
Paris-type AM, 511
partial resistance, 197
patch attributes, 9
Paxillus involutus, 549
Phalaris aquatica, 397
phaseolin, 813
phenolics, 187
phenylurea cytokinin, 471
Phillyrea angustifolia, 115
phloem loading, 173
phloem, 81
PHO8, 525
phosphate, 783
phospholipaseC, 643
phosphorus, 481, 745
photosynthesis, 63, 223, 355, 459
photosynthetic adjustment, 343
photosynthetic capacity, 343
photosynthetic characteristics, 3
photosynthetic downregulation, 125, 253
photosynthetic enhancement, 323
phytoextraction, 535
Phytophthora parasitica, 501
Phytophthora spp., 211
Picea abies, 717
Piloderma fallax, 795
PI-PLC, 643
Planktothrix rubescens, 133
plant defence, 501
plant functional type, 253
plant physiology, 6
plant–bird mutualisms, 251
plasma membrane, 71
pollen, 643
polyamines, 705
polyphosphate, 783
polyploidy, 803
POPFACE, 413
Populus, 413
potassium feldspar, 795
predation, 567
primary and secondary infection, 231
primary production, 253
provisioning, 167
Psammochloa villosa, 697

pseudomonomery, 25
Pseudotsuga menziesii (Douglas-fir), 355
PSII, 125
P-uptake, 511

QTL (quantitative trait loci), 197
quantitative disease resistance, 729
quantitative trait loci (QTL), 535
quartz, 795
Quercus robur, 211

recombinant inbred lines (RILs), 535
red maple (*Acer rubrum*), 437
reflectance indices, 115
reflectance, 115
relative elemental growth rate, 573
relative water content (RWC), 115
resource acquisition, 147
resource limitation, 45
respiration, 377
R-genes, 197
Rhizoctonia solani, 231
rhizodeposition, 447
rhizomatous grass, 697
Rhizopogon luteolus, 549
rhizosphere interactions, 617
rhizosphere, 311, 745
rice (*Oryza sativa*), 481
root, 705
root architecture, 617
root biomass, 447
root exudates, 745
root growth zone, 573
root ion-uptake capacities, 9
root mortality, 437
root production, 437
root proliferation, 9
rooting, 813
roots, 447
Rubisco activity, 671
RuBP (ribulose-1, 5-bisphosphate) content, 671

salt stress, 705
sand burial, 697
saprotrophic, 771
seasonal variation, 355
seed germination, 157
seedless vascular plant physiology, 570
seedling development, 705
selenium (Se), 655
self-incompatibility, 803
severing, 697
shade, 387
signalling, 248
signalling pathways, 501
signal transduction, 633
signals, 617
siliceous soils, 187
silicification, 45
single leaf gas exchange, 3
sinking, 45
soil carbon, 311, 447
soil heterogeneity, 9
soil infestation, 211
soil protozoa, 617
soil respiration, 311
soil warming, 311
soil-borne plant pathogen, 231
southern hemisphere ecosystems, 251
species richness, 683
specific leaf area, 413
stable isotopes, 447
stem elongation, 95
stem respiration, 81
stomatal closure, 663
stomatal conductance, 331, 387, 633
stomatal density, 387
stomatal optimization, 663
stomatal regulation, 570
stratification, 133
stress, 643
subarctic, 459
succession, 755
sugar maple (*Acer saccharum*), 437
Suillus bovinus, 549
Suillus luteus, 549
summer drought, 115
sun, 387
suppression, 25
surface potential, 71
symbiotic microorganisms, 617
synorganization, 25

temperature stress, 323
temperature, 281, 355, 377, 437
testa (seed coat), 167
Thelephoraterrestris, 755
thermal time, 157
time-course study, 783
tomato (*Lycopersicon esculentum*), 511
toxicity, 489
transformation, 813
transmission of infection, 231
TRFLP, 755
trophic webs, 567
Tylopilus, 755

uptake, 481, 489

variable light, 173
VOC (volatile organic compounds), 717
vulnerability, 663

warming, 281, 397, 459
water potential, 331
water stress, 671
water transport, 570
whole plant gas exchange, 3

Xanthium strumarium (common cocklebur), 377
xylem cavitation, 570
xylem production, 81

ZEITLUPE (*ZTL*), 63
zinc tolerance, 549
zinc toxicity, 549
zygomorphy, 25